

05-30-00

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
UTILITY PATENT APPLICATION TRANSMITTAL  
UNDER 37 CFR 1.53(b)**

05/25/00  
Jc682 U.S.  
PTO

05/25/00  
Jc682 U.S.  
PTO

<b>Address to:</b> Box Patent Application Assistant Commissioner for Patents Washington, DC 20231	<i>Attorney Docket No.</i>	STL9-2000-0058US1
	<i>Inventor(s)</i>	Neal R. Eisenberg, et al.
	<i>Express Mail Label No.</i>	EL290558612US
	<i>Filing Date</i>	May 25, 2000

**Title of Application:** METHOD OF, SYSTEM FOR, AND COMPUTER PROGRAM PRODUCT FOR STORING, RETRIEVING, & USING REMOTE HOST FILE ATTRIBUTES ON A LOCAL FILE SYSTEM

*Transmitted with the patent application are the following:*

- 22 Page(s) Specification, Claims and Abstract
- 4 Page(s) Formal drawings
- 3 Page(s) Declaration and Power of Attorney
- 3 Page(s) Assignment of the Invention to International Business Machines Corporation (including Rec. Cover sheet in duplicate)
- 2 Page(s) Information Disclosure Statement (IDS/PTO 1449) (copies of citations not included in number of pages)
- X Copies of IDS citations
- X Return Receipt Postcard (MPEP 503).

**Fee Calculation:**

	Claims		Extra	Rate	Fees
<b>Basic Fee</b>					<b>\$690.00</b>
<b>Total Claims</b>	<b>18</b>	<b>-20 =</b>	<b>0</b>	<b>x \$18.00</b>	
<b>Independent Claims</b>	<b>3</b>	<b>-3 =</b>	<b>0</b>	<b>x \$78.00</b>	
<b>Multiple Dependent Claims</b>				<b>+\$260.00</b>	
				<b>TOTAL</b>	<b>\$690.00</b>

- X Please charge my Deposit Account No. 09-0460 in the amount of \$ 690.00. **A duplicate copy of this sheet is attached.**
- X The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit **Account 09-0460**. **A duplicate copy of this sheet is attached.**
- X Any filing fees under 37 CFR 1.16 for the presentation of extra claims.
- X Any patent application processing fees under 37 CFR 1.17.

**EXPRESS MAIL CERTIFICATE**

I hereby certify that the above paper/fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated below and is addressed to the Assistant Commissioner for Patents, Washington, DC 20231.

Date of Deposit: **May 25, 2000**

Person Mailing paper/fee: Jeanette Berry Durbin

Signature: Jeanette Berry Durbin

Respectfully submitted,  
Neal R. Eisenberg, et al.

Prentiss W. Johnson

Prentiss W. Johnson,  
Registration No. #33,123  
Attorney for Applicant(s)  
Telephone (408) 463-5673  
IBM Corporation  
Intellectual Property Law  
555 Bailey Avenue (J46/G467)  
San Jose, CA 95141-1003

09579866-052500

Express mail Label #: EL290558612US.

## **SPECIFICATION**

IBM Docket No. STL9-2000-0058

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN that We, Neal Eisenberg of San Jose, California and citizen of the United States, Brent Hawks of Hollister, California and citizen of the United States, Gary Mazo of San Jose, California and citizen of the United States, and Ira Sheftman of San Jose, California and citizen of the United States, have invented new and useful improvements in

### **METHOD OF, SYSTEM FOR, AND COMPUTER PROGRAM PRODUCT FOR STORING, RETRIEVING, & USING REMOTE HOST FILE ATTRIBUTES ON A LOCAL FILE SYSTEM**

of which the following is a specification:

1  
2  
3       **METHOD OF, SYSTEM FOR, AND COMPUTER PROGRAM PRODUCT FOR**  
4       **STORING, RETRIEVING, & USING REMOTE HOST FILE ATTRIBUTES ON A**  
5       **LOCAL FILE SYSTEM**  
6  
7  
8  
9  
10

11       A portion of the Disclosure of this patent document contains material which is subject  
12       to copyright protection. The copyright owner has no objection to the facsimile reproduction by  
13       anyone of the patent document or the patent disclosure, as it appears in the Patent and  
14       Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

## BACKGROUND OF THE INVENTION

### 1. Field of the Invention

The present invention relates in general to computer file systems, and more particularly to retrieving, storing, and using file attributes from one file system in another file system.

### 2. Description of the Related Art

Data processing systems usually store information in files. A file is a named set or collection of records, logical records, data, or information stored, retrieved, or processed as a unit. Such a file may have various characteristics, and these characteristics may be described by an attribute. An attribute is a specific characteristic that identifies and describes properties of a managed object. The characteristic can be determined, and possibly changed, through operations on the managed object. For example, a file may have attributes that define it as hidden or read-only. Thus, any of the attributes that describe the characteristics of a file are known as file attributes.

Not all file systems share a common identical set of file attributes. For example, a first file system may provide file attributes such as read-only or hidden; whereas, a second file system may not support these file attributes. If a user of the second file system attempts to access files on the first file system, then the second file system will not recognize or appropriately process the file attributes from the first file system.

More specifically, in workstation file systems, externally accessible file attributes are those that can be queried and/or modified by an application programmer using a public application programming interface (PAPI) as opposed to internal functions of the operating

1 system. These are normally implemented as bits that are set on or off, or as integer values in  
2 fixed size multi-bit fields such as a four-byte integer. The number of attributes is limited by  
3 implementation of the native workstation file system. Installable distributed file systems (that  
4 is, file systems that can access files on remote computers) can present difficulties when  
5 attempting to convey file attributes that are not present in the local native workstation file  
6 system.

7  
8 Conventional file attributes in workstation operating systems such as the Windows  
9 95™ operating system and the Windows 98™ operating system have been carried over from  
10 earlier operating systems such as Disk Operating System (DOS) (Microsoft, Windows,  
11 Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United  
12 States, other countries, or both.). Modern operating systems such as the OS/2® operating  
13 system and the Windows NT™ operating system introduced "extended" attributes that are  
14 represented by an extended set of flags or integer values. Remote host file attributes (such as  
15 record format, logical record length, or sequence numbers in MVS® data sets) can be used by  
16 the workstation tools (such as workstation textual editors, for example the IBM® LPEX  
17 editor) to provide additional information to the user and additional functionality to the tools.  
18 (IBM®, MVS®, and OS/2® are registered trademarks of International Business Machines  
19 Corporation in the United States, other countries, or both.). For example, a textual editor can  
20 detect use of sequence numbers in an MVS file and adjust its behavior so that editing of the  
21 sequence number area in the file is prohibited by the user. The editor then can automatically  
22 adjust sequence numbers when the lines in the file are added or deleted on the workstation.  
23 Remote file attributes cannot be represented with workstation file system's conventional or  
24 extended file attributes. Existing methods of providing extended information in workstation  
25 files normally apply only to files that physically reside on the workstation file systems. Such  
26 attributes are normally stored as integral part of the file. Those files are textual files whose  
27 formats are specific to the editors that use those formats. For example, the Microsoft™ Word  
28 editor uses its own file format, and the Lotus® Word Pro® editor uses yet another format  
29 (Lotus® and Word Pro® are registered trademarks of Lotus Development Corporation.).



## SUMMARY OF THE INVENTION

The present invention comprises a method, system, article of manufacture, and/or program product for retrieving, storing, and accessing remote file attributes for use on a data processing system's installable file system. The remote file attributes are first obtained on a remote host by a communication program located on the remote host. The remote file attributes are then transferred to a client communication program on the data processing system via a message, preferably a Hyper Text Transfer Protocol (HTTP) message. The client communication program uses the data processing system's shared storage mechanisms to save the remote file attributes and to make them available to other processes executing on the workstation. The remote file attributes have an associated lifetime or duration on the data processing system. This lifetime is pre-determined by the client communication program as to not to exceed a certain time limit, and the remote file attributes are cleared when this maximum lifetime is reached. This clearing causes periodic synchronization between the remote file attributes stored on the data processing system and the remote file attributes stored on the host.

One aspect of a preferred embodiment of the present invention provides an extensible file access method for accessing a foreign file system from a workstation data processing system with a native file system, said foreign file system being located on a remote data processing system, said foreign file system having a set of foreign file attributes corresponding to each of a plurality of files in the foreign file system, and said native file system having a set of native file attributes corresponding to each of a plurality of files in the native file system, said method comprising the steps of: generating a request from a client on the workstation to the remote data processing system to open a foreign file in the foreign file system; opening of the foreign file by the foreign file system; sending of the file attributes of the foreign file, hereinafter foreign file attributes, to the workstation; storing of the foreign file attributes by the workstation; accessing of the foreign file attributes stored in the workstation by the workstation client to process the foreign file; and processing by the workstation client the foreign file using the stored foreign file attributes.

1  
2 In accordance with another aspect of a preferred embodiment of the present invention,  
3 a subset of the foreign file attributes which are equivalent to a corresponding subset of file  
4 attributes of the native file system is determined, the subset of the foreign file attributes  
5 hereinafter known as conventional file attributes; the conventional file attributes are returned to  
6 the client; and a remaining subset of the foreign file attributes which are not equivalent to a  
7 corresponding subset of file attributes of the native file system are stored, the remaining subset  
8 of the foreign file attributes hereinafter known as extended file attributes.  
9

10 In accordance with another aspect of a preferred embodiment of the present invention,  
11 the client accesses the foreign file via a protocol of the native file system, the accessing being  
12 performed in a similar manner to accessing a native file system file; and the client accesses the  
13 foreign file by use of the extended file attributes, the accessing being performed via a protocol  
14 different from the native file system protocol.  
15

16 In accordance with another aspect of a preferred embodiment of the present invention,  
17 an expiration timer corresponding to the extended file attributes is started; and the extended file  
18 attributes are removed from the workstation storage after the expiration of the expiration timer.  
19

20 In accordance with another aspect of a preferred embodiment of the present invention,  
21 the sending of the foreign file attributes is performed by a web server located on the remote  
22 system, the web server being capable of sending and receiving messages via a network.  
23

24 In accordance with another aspect of a preferred embodiment of the present invention,  
25 the extended file attributes are stored in a shared memory portion of the workstation storage  
26 which is accessible by the client and other workstation processes; a unique handle is associated  
27 with the extended file attributes; and the unique handle is provided to a workstation process to  
28 enable the workstation process to access the extended file attributes.  
29



1 A preferred embodiment of the present invention has the advantage of providing  
2 improved extended file attributes.

3  
4 A preferred embodiment of the present invention has the advantage of providing  
5 additional information beyond that provided by native file attributes.

6  
7 A preferred embodiment of the present invention has the advantage of allowing  
8 additional functionality using the additional information beyond that provided by native file  
9 attributes.

10  
11 A preferred embodiment of the present invention has the advantage of allowing non-  
12 native extended file attributes to be used on a computer system.

13  
14 A preferred embodiment of the present invention has the advantage of allowing host  
15 extended file attributes to be used on a workstation.

## BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention and the advantages thereof, reference is now made to the Description of the Preferred Embodiment in conjunction with the attached Drawings, in which:

**Figure 1** is a block diagram of a distributed computer system used in performing the method of the present invention, forming part of the apparatus of the present invention, and which may use the article of manufacture comprising a computer-readable storage medium having a computer program embodied in said medium which may cause the computer system to practice the present invention;

**Figure 2** is a block diagram of a portion of memory of the distributed computer system; and

**Figures 3 and 4** are flowcharts illustrating the operations preferred in carrying out a preferred embodiment of the present invention.

## DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring first to **Figure 1**, there is depicted a graphical representation of a data processing system **8**, which may be utilized to implement the present invention. As may be seen, data processing system **8** may include a plurality of networks, such as Local Area Networks (LAN) **10** and **32**, each of which preferably includes a plurality of individual computers **12** and **30**, respectively. Of course, those skilled in the art will appreciate that a plurality of Intelligent Work Stations (IWS) coupled to a host processor may be utilized for each such network. Each said network may also consist of a plurality of processors coupled via a communications medium, such as shared memory, shared storage, or an interconnection network. As is common in such data processing systems, each individual computer may be coupled to a storage device **14** and/or a printer/output device **16** and may be provided with a pointing device such as a mouse **17**.

The data processing system **8** may also include multiple mainframe computers, such as mainframe computer **18**, which may be preferably coupled to LAN **10** by means of communications link **22**. The mainframe computer **18** may also be coupled to a storage device **20** which may serve as remote storage for LAN **10**. Similarly, LAN **10** may be coupled via communications link **24** through a sub-system control unit/communications controller **26** and communications link **34** to a gateway server **28**. The gateway server **28** is preferably an IWS which serves to link LAN **32** to LAN **10**.

With respect to LAN **32** and LAN **10**, a plurality of documents or resource objects may be stored within storage device **20** and controlled by mainframe computer **18**, as resource manager or library service for the resource objects thus stored. Of course, those skilled in the art will appreciate that mainframe computer **18** may be located a great geographic distance from LAN **10** and similarly, LAN **10** may be located a substantial distance from LAN **32**. For example, LAN **32** may be located in California while LAN **10** may be located within North Carolina and mainframe computer **18** may be located in New York.

1 Software program code which employs the present invention is typically stored in the  
2 memory of a storage device **14** of a stand alone workstation or LAN server from which a  
3 developer may access the code for distribution purposes, the software program code may be  
4 embodied on any of a variety of known media for use with a data processing system such as a  
5 diskette or CD-ROM or may be distributed to users from a memory of one computer system  
6 over a network of some type to other computer systems for use by users of such other systems.  
7 Such techniques and methods for embodying software code on media and/or distributing  
8 software code are well-known and will not be further discussed herein.  
9

10 As will be appreciated upon reference to the foregoing, it is often desirable for a user to  
11 perform host application development on a workstation **12** in lieu of performing the application  
12 development on the host **18** itself. Remote Edit/Compile/Debug provides such a workstation  
13 environment for performing the edit, compile, and debug tasks associated with host application  
14 development. Host application parts, such as COBOL source code, COBOL copy books, and  
15 host JCL, may be stored in PDS or PDSE data sets on storage device **20** connected to the host  
16 **18**. The Remote Edit/Compile/Debug workstation environment allows these files to be  
17 accessed and used on the workstation **12**. The present invention provides for such access and  
18 use of host files on the workstation **12** by retrieving file attributes associated with files stored  
19 on the file system **20** of the host **18**, storing these remote file attributes on the workstation **12**,  
20 and making the remote file attributes available to processes executing on the workstation **12** to  
21 support a scenario such as the Remote Edit/Compile/Debug.  
22

23 Referring next to **Figure 2**, a preferred embodiment of the present invention is  
24 illustrated. This embodiment comprises a method for storing and accessing remote file  
25 attributes **205** on a workstation's **210** installable file system **215**. In the present invention, the  
26 remote file attributes **220** are first obtained on the remote host **225** by a communication  
27 program **230** in response to a request **235** from the client communication program **240** on the  
28 workstation **210**. The remote file attributes are then transferred to the client communication  
29 program **240** via a message **245**. The client communication program **240** uses the

1 workstation's **210** shared storage **250** mechanisms to save the attributes **205** and make them  
2 available to other processes **260** and **265** on the workstation **210**. The lifetime of the attributes  
3 **205** on the workstation **210** is pre-determined by the client communication program **240** as to  
4 not to exceed a certain time limit after which the attributes **205** are cleared. This clearing is  
5 necessary to force periodic synchronization between corresponding workstation attributes **205**  
6 and host attributes **220**.

7  
8 Referring now to **Figures 3** and **4**, the flowcharts illustrate the operations preferred in  
9 carrying out the preferred embodiment of the present invention. In the flowcharts, the  
10 graphical conventions of a diamond for a test or decision and a rectangle for a process or  
11 function are used. These conventions are well understood by those skilled in the art, and the  
12 flowcharts are sufficient to enable one of ordinary skill to write code in any suitable computer  
13 programming language.

14  
15 Referring first to **Figure 3**, the process **300** of supporting remote file attributes on the  
16 workstation file system begins at process block **310**. Thereafter, process block **320** generates a  
17 request **235** from a client communication program **240** on the workstation **210** to the remote  
18 data processing system **225** to open a foreign file **270** in the foreign file system **275**. This  
19 request **235** may result from an editor attempting to edit the foreign file or remote file.  
20 Responsive to the remote host's receiving of the request **235** to open the foreign file **270**,  
21 process block **330** causes the foreign file system **275** to open the foreign file **270**. Process  
22 block **330** also causes the remote host **225** to obtain the file attributes **220** of the opened foreign  
23 file **270**. The file attributes **220** may be of a general type **280** such as creation date,  
24 modification date, or size. Alternatively, the file attributes may be of a type **285** specific to  
25 certain types of host files such as record format, record length, revision/modification level, and  
26 sequence numbers. Thereafter, process block **340** sends **245** the file attributes of the foreign  
27 file, hereinafter foreign file attributes, to the workstation **210**. Preferably, the foreign file  
28 attributes are sent by a host communication process **230** to the workstation **210** as part of a  
29 response **245** to the request **235** to open the file **270**. The host communication process **230** is

preferably a web server capable of sending and receiving HTTP messages. The response is preferably sent in a form of an HTTP message.

The HTTP response **245** is received by the workstation communication program **240**, preferably an IBM Foreign File System client process. Process block **350** determines a subset of the foreign file attributes which are equivalent to a corresponding subset of file attributes of the native file system, the subset of the foreign file attributes hereinafter known as conventional file attributes **255**. Responsive to this determination, process block **360** returns the conventional file attributes **255** to the client operating system as part of a standard file system protocol, preferably, Server Message Block (SMB) protocol. Process block **370** stores a remaining subset of the foreign file attributes which are not equivalent to a corresponding subset of file attributes of the native file system, the remaining subset of the foreign file attributes hereinafter known as extended file attributes **205**. The extended host file attributes **205** are stored in a persistent shared storage **250**, preferably a shared memory segment of the workstation operating system which is accessible by the client **240** and other workstation processes **260** and **265**. Thereafter, processing continues to process block **410** on **Figure 4**. This processing path is illustrated by flowchart connectors **A**, **380** on **Figure 3** and **405** on **Figure 4**.

To enable interested workstation processes **260** and **265** to access the extended file attributes **205** stored in the persistent shared storage **250**, process block **410** associates a unique handle **295** with the extended file attributes **205** and provides the unique handle **295** to the interested workstation processes **260** and **265**. All interested processes **260** and **265** on the workstation **210** obtain a unique name and, through it, a unique handle **295** to the shared memory segment **250** containing the extended file attributes **205** of the file. The unique name of the shared memory segment within the client system is unique because it is derived from the universal naming convention (UNC) name of the file. After the extended file attributes **205** are stored in the persistent shared storage **250**, process block **420** starts an expiration timer corresponding to the extended file attributes. The expiration timer allows the extended file

1 attributes **205** to expire and to become refreshed the next time a workstation process requests to  
2 open the host file. The expiration timer also synchronizes the extended attribute information  
3 every time the file is opened, and if the expiration timer expires, then the information will be  
4 cleared and the shared memory segment will be freed.

5  
6 In process block **430**, the workstation client **260** accesses the foreign file attributes **205** by  
7 accessing the named persistent shared storage **250** to process the foreign file **290**. In process  
8 block **440**, the client then accesses the foreign file **290** via a protocol of the native file system  
9 **215**, the accessing being performed in a similar manner to accessing a native file system file.  
10 Alternatively, the client **260** may access the foreign file **290** by use of the extended file  
11 attributes **205**, the accessing being performed via a protocol different from the native file  
12 system protocol, as shown in process block **450**.

13  
14 In decision block **460**, the workstation client communication process **240** determines if  
15 the extended file attributes expiration timer has expired. If not, process block **470** then waits  
16 for the extended file attributes to expire. Referring back to process block **460**, if the expiration  
17 timer has expired, then the workstation client communication program **240** in process block  
18 **480** clears or removes the extended file attributes **205** from the workstation storage **250** after  
19 the expiration of the expiration timer. The process then ends at process block **490**.

20  
21 Using the foregoing specification, the invention may be implemented using standard  
22 programming and/or engineering techniques using computer programming software, firmware,  
23 hardware or any combination or sub-combination thereof. Any such resulting program(s),  
24 having computer readable program code means, may be embodied within one or more  
25 computer usable media such as fixed (hard) drives, disk, diskettes, optical disks, magnetic tape,  
26 semiconductor memories such as read-only memory (ROM), programmable read-only memory  
27 (PROM), etc., or any memory or transmitting device, thereby making a computer program  
28 product, i.e., an article of manufacture, according to the invention. The article of manufacture  
29 containing the computer programming code may be made and/or used by executing the code

1 directly or indirectly from one medium, by copying the code from one medium to another  
2 medium, or by transmitting the code over a network. An apparatus for making, using, or  
3 selling the invention may be one or more processing systems including, but not limited to,  
4 central processing unit (CPU), memory, storage devices, communication links, communication  
5 devices, servers, input/output (I/O) devices, or any sub-components or individual parts of one  
6 or more processing systems, including software, firmware, hardware or any combination or  
7 sub-combination thereof, which embody the invention as set forth in the claims.  
8

9 User input may be received from the keyboard, mouse, pen, voice, touch screen, or any  
10 other means by which a human can input data to a computer, including through other programs  
11 such as application programs.  
12

13 One skilled in the art of computer science will easily be able to combine the software  
14 created as described with appropriate general purpose or special purpose computer hardware to  
15 create a computer system and/or computer sub-components embodying the invention and to  
16 create a computer system and/or computer sub-components for carrying out the method of the  
17 invention. Although the present invention has been particularly shown and described with  
18 reference to a preferred embodiment, it should be apparent that modifications and adaptations  
19 to that embodiment may occur to one skilled in the art without departing from the spirit or  
20 scope of the present invention as set forth in the following claims.



## CLAIMS

We claim:

1. An extensible file access method for accessing a foreign file system from a local data processing system with a native file system, said foreign file system being located on a remote data processing system, said foreign file system having a set of foreign file attributes corresponding to each of a plurality of files in the foreign file system, and said native file system having a set of native file attributes corresponding to each of a plurality of files in the native file system, said method comprising the steps of:

generating a request from a client on the local data processing system to the remote data processing system to open a foreign file in the foreign file system;

opening of the of the foreign file by the foreign file system;

sending of the file attributes of the foreign file, hereinafter foreign file attributes, to the local data processing system;

storing of the foreign file attributes by the local data processing system;

accessing of the foreign file attributes stored in the local data processing system by the local data processing system client to process the foreign file; and

processing by the local data processing system client the foreign file using the stored foreign file attributes.

2. The method of claim 1 further comprising the steps of:

determining a subset of the foreign file attributes which are equivalent to a corresponding subset of file attributes of the native file system, the subset of the foreign file attributes hereinafter known as conventional file attributes;

returning the conventional file attributes to the client; and

storing a remaining subset of the foreign file attributes which are not equivalent to a corresponding subset of file attributes of the native file system, the remaining subset of the foreign file attributes hereinafter known as extended file attributes.

3. The method of claim 2 further comprising the steps of:  
accessing of the foreign file by the client via a protocol of the native file system, the  
accessing being performed in a similar manner to accessing a native file system file; and  
accessing of the foreign file by the client by use of the extended file attributes, the  
accessing being performed via a protocol different from the native file system protocol.

4. The method of claim 2 wherein the storing step further comprises:  
starting an expiration timer corresponding to the extended file attributes; and  
removing the extended file attributes from the local data processing system storage after  
the expiration of the expiration timer.

5. The method of claim 2 wherein the sending of the foreign file attributes is performed by  
a web server located on the remote system, the web server being capable of sending and  
receiving messages via a network.

6. The method of claim 2 further comprising the steps of:  
storing the extended file attributes in a shared memory portion of the local data  
processing system storage which is accessible by the client and other local data processing  
system processes;  
associating a unique handle with the extended file attributes; and  
providing the unique handle to a local data processing system process to enable the  
local data processing system process to access the extended file attributes.

1 7. An article of manufacture for use in a computer system for accessing a foreign file  
2 system from a local data processing system data processing system with a native file system,  
3 said foreign file system being located on a remote data processing system, said foreign file  
4 system having a set of foreign file attributes corresponding to each of a plurality of files in the  
5 foreign file system, and said native file system having a set of native file attributes  
6 corresponding to each of a plurality of files in the native file system, said article of manufacture  
7 comprising a computer-readable storage medium having a computer program embodied in said  
8 medium which causes the computer system to execute the method steps comprising:

9 generating a request from a client on the local data processing system to the remote data  
10 processing system to open a foreign file in the foreign file system;

11 opening of the of the foreign file by the foreign file system;

12 sending of the file attributes of the foreign file, hereinafter foreign file attributes, to the  
13 local data processing system;

14 storing of the foreign file attributes by the local data processing system;

15 accessing of the foreign file attributes stored in the local data processing system by the  
16 local data processing system client to process the foreign file; and

17 processing by the local data processing system client the foreign file using the stored  
18 foreign file attributes.

19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167

9. The article of manufacture of claim 8 wherein the method steps further comprise the steps of:

accessing of the foreign file by the client via a protocol of the native file system, the accessing being performed in a similar manner to accessing a native file system file; and  
accessing of the foreign file by the client by use of the extended file attributes, the accessing being performed via a protocol different from the native file system protocol.

10. The article of manufacture of claim 8 wherein the storing step further comprises:  
starting an expiration timer corresponding to the extended file attributes; and  
removing the extended file attributes from the local data processing system storage after the expiration of the expiration timer.

11. The article of manufacture of claim 8 wherein the sending of the foreign file attributes is performed by a web server located on the remote system, the web server being capable of sending and receiving messages via a network.

12. The article of manufacture of claim 8 wherein the method steps further comprise the steps of:

storing the extended file attributes in a shared memory portion of the local data processing system storage which is accessible by the client and other local data processing system processes;

associating a unique handle with the extended file attributes; and

providing the unique handle to a local data processing system process to enable the local data processing system process to access the extended file attributes.

1 13. A distributed computer system for accessing a foreign file system from a local data  
2 processing system with a native file system, said foreign file system being located on a remote  
3 data processing system, said foreign file system having a set of foreign file attributes  
4 corresponding to each of a plurality of files in the foreign file system, and said native file  
5 system having a set of native file attributes corresponding to each of a plurality of files in the  
6 native file system, said distributed computer system comprising:

7 a requestor for generating a request from a client on the local data processing system to  
8 the remote data processing system to open a foreign file in the foreign file system;

9 a foreign file which can be opened by the foreign file system;

10 a sender for sending the file attributes of the foreign file, hereinafter foreign file  
11 attributes, to the local data processing system;

12 storage for storing of the foreign file attributes by the local data processing system;

13 a file access for accessing the foreign file attributes stored in the local data processing  
14 system by the local data processing system client to process the foreign file; and

15 a processor for processing by the local data processing system client the foreign file  
16 using the stored foreign file attributes.

17 14. The distributed computer system of claim 13 further comprising:

18 a comparator for determining a subset of the foreign file attributes which are equivalent  
19 to a corresponding subset of file attributes of the native file system, the subset of the foreign  
20 file attributes hereinafter known as conventional file attributes;

21 a data transfer for returning the conventional file attributes to the client; and

22 storage for storing a remaining subset of the foreign file attributes which are not  
23 equivalent to a corresponding subset of file attributes of the native file system, the remaining  
24 subset of the foreign file attributes hereinafter known as extended file attributes.

1 15. The distributed computer system of claim 14 further comprising:  
2 a file access for accessing by the client the foreign file via a protocol of the native file  
3 system, the accessing being performed in a similar manner to accessing a native file system  
4 file; and  
5 a file access for accessing by the client the foreign file by use of the extended file  
6 attributes, the accessing being performed via a protocol different from the native file system  
7 protocol.

1 16. The distributed computer system of claim 14 wherein the storage further comprises:  
2 an expiration timer corresponding to the extended file attributes; and  
3 storage access for removing the extended file attributes from the local data processing  
4 system storage after the expiration of the expiration timer.

1 17. The distributed computer system of claim 14 wherein the sender of the foreign file  
2 attributes is a web server located on the remote system, the web server being capable of  
3 sending and receiving messages via a network.

1 18. The distributed computer system of claim 14 further comprising:  
2 a shared memory portion of the local data processing system storage which is accessible  
3 by the client and other local data processing system processes for storing the extended file  
4 attributes;  
5 a unique handle associated with the extended file attributes; and  
6 a local data processing system process which uses the unique handle to enable the local  
7 data processing system process to access the extended file attributes.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60
- 61
- 62
- 63
- 64
- 65
- 66
- 67
- 68
- 69
- 70
- 71
- 72
- 73
- 74
- 75
- 76
- 77
- 78
- 79
- 80
- 81
- 82
- 83
- 84
- 85
- 86
- 87
- 88
- 89
- 90
- 91
- 92
- 93
- 94
- 95
- 96
- 97
- 98
- 99
- 100

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60
- 61
- 62
- 63
- 64
- 65
- 66
- 67
- 68
- 69
- 70
- 71
- 72
- 73
- 74
- 75
- 76
- 77
- 78
- 79
- 80
- 81
- 82
- 83
- 84
- 85
- 86
- 87
- 88
- 89
- 90
- 91
- 92
- 93
- 94
- 95
- 96
- 97
- 98
- 99
- 100

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46
- 47
- 48
- 49
- 50
- 51
- 52
- 53
- 54
- 55
- 56
- 57
- 58
- 59
- 60
- 61
- 62
- 63
- 64
- 65
- 66
- 67
- 68
- 69
- 70
- 71
- 72
- 73
- 74
- 75
- 76
- 77
- 78
- 79
- 80
- 81
- 82
- 83
- 84
- 85
- 86
- 87
- 88
- 89
- 90
- 91
- 92
- 93
- 94
- 95
- 96
- 97
- 98
- 99
- 100




FIG. 1






Fig. 2




Fig. 3




Fig. 4

## DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

DOCKET: STL9-2000-0058US1

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

Method of, System for, and Computer Program Product for Storing, Retrieving, & Using Remote Host File Attributes on a Local File System

the specification of which (check one)

☒ is attached hereto.  
☐ was filed on \_\_\_\_\_  
as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
#	None		Yes	No
	(Number)	(Country)	(Day/Month/Year Filed)	

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56, which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

None		
(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

DOCKET: STL9-2000-0058US1

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Romualdas Strimaitis (#35,697)	Christopher A. Hughes (#26,914)
Timothy M. Farrell (#37,321)	Edward A. Pennington (#32,588)
Ingrid M. Foerster (#36,511)	John E. Hoel (#26,279)
Prentiss W. Johnson (# 33,123)	Joseph C. Redmond, Jr. (#18,753)

Send correspondence to:

Prentiss Wayne Johnson  
Attorney  
IBM Corporation  
Intellectual Property Law  
555 Bailey Avenue (J46/G467)  
San Jose CA 95141-1003

Direct Telephone Calls to: (name and telephone number) Prentiss W. Johnson, 408-463-5673

Full name of sole or first joint-inventor: Neal R. Eisenberg

Inventor's signature:

*Neal R. Eisenberg*

Date:

*May 25, 2000*

Residence: 787 Colleen Drive, San Jose, California 95123

Citizenship: USA

Post Office Address: Same

Full name of second joint-inventor: Brent C. Hawks

Inventor's signature:

*Brent C. Hawks*

Date:

*25 May 2000*

Residence: 310 Howard Court, Hollister, California 95023

Citizenship: USA

Post Office Address: Same

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

DOCKET: STL9-2000-0058US1

Full name of third joint-inventor: Gary I. Mazo

Inventor's signature:

*Gary I. Mazo*

Date:

*May 25, 2000*

Residence: 2861 Ruby Terrace, San Jose, California 95148

Citizenship: USA

Post Office Address: Same

Full name of fourth joint-inventor: Ira L. Sheftman

Inventor's signature:

*Ira L. Sheftman*

Date:

*5/25/2000*

Residence: 7442 Tulare Hill Drive, San Jose, California 95139

Citizenship: USA

Post Office Address: Same